



## Certificate of Analysis

**Sample:** Cinex  
**Date Tested:** 07/07/2014  
**Test Result UID:** 8435483269876478

### Photographs



**25x**




**50x**



**230x**

### HPLC chromatogram



### Potency

**Concentration:**  
**THC-A 18.6 %**  
**THC 0.5 %**  
**CBD trace**

**Active cannabinoids:**  
**THC-A x (0.877) + THC 16.8 %**



Tested By

**ANALYTICAL 360**

Cannabis Analysis Laboratory

## Certificate of Analysis

**Sample:** Cinex  
**Date Tested:** 07/07/2014  
**Test Result UID:** 8435483269876478

**Foreign matter inspection:** 0 % PASS

**Moisture content:** 9 % PASS

**Microbial screen:**

<b>Total aerobic plate count</b>	<b>1600 CFUs/gram</b>	<b>PASS</b>
<b>Total yeast and mold count</b>	<b>1400 CFUs/gram</b>	<b>PASS</b>
<b>Bile-tolerant gram negative bacteria count</b>	<b>90 CFUs/gram</b>	<b>PASS</b>
<b>Coliforms</b>	<b>50 CFUs/gram</b>	<b>PASS</b>
<b>E. coli</b>	<b>ND</b>	<b>PASS</b>
<b>Salmonella spp.</b>	<b>ND</b>	<b>PASS</b>

**\*Limits**

**ND= not detected**

**Foreign matter not more than 5.0 % of stems 3 mm or more in diameter; not more than 2.0 % of other foreign matter**

**Not more than 15 % moisture**

**Microbial**

**Not to exceed 100,000 Total aerobic plate count, 10,000 Total yeast and mold count, 1,000 bile-tolerant gram negative bacteria, 1,000 coliforms, and E coli and Salmonella not detected in one gram**

**Approved by:** Dr. Lara M Taubner